Sheet	4	٥f	2
Sheet		ОІ	

. 1 -	<b>≱</b>			Sheet 1 of 3	
Mr,	APPSE AT FACSIMILE OF FORM PTO-1449	U.S. DEPARTMENT OF	ATTY DOCKET NO	SERIAL NO.	-
	LIST OF PUBLICATIONS C	PATENT AND TRADEMARK OFFICE	RPI-011CPCN	09/995519	
PATENT B	LIST OF PUBLICATIONS CI	TED BY APPLICANT	APPLICANT		_
	(Use several sheets	if necessary)	Boussiotis, V.A., et al.		
			FILING DATE	GROUP	_
			November 28, 2001	1644	

## U.S. PATENT DOCUMENTS

EXAMPLER ONTITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
(N)	<b>AA</b>	5,116,964	5/26/92	Capon et al	536	27	
	AB	5,434,131	7/18/95	Linsley et al.	514	2	

## FOREIGN PATENT DOCUMENTS

Γ		Π		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANS	LATION	
L									YES	NO	1
ſ	1		AC	WO 90/05541	5/31/90	PCT					-
Γ			AD	WO 91/11194	8/8/91	PCT					-
ſ	7		ΑE	WO 92/00092	1/9/92	PCT					1
ſ	T	Γ	AF	WO 92/15671	9/17/92	PCT					
	T	1	AG	0503646 A1	12/3/92	EPO	-				
ſ		T	AH	WO 93/00431	1/7/93	PCT					
ſ	T		AJ	WO 93/06852	4/15/93	PCT					-
ſ		1	A)	WO 93/06866	4/15/93	PCT					

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

	<b>1</b>	OTHERS (including Addior, Title, Date, Pertinent Pages, Etc.)
	AK	Azuma, M., et al., "B70 Antigen is a Second Ligand for CTLA-4 and CD28," Nature, vol. 366, 76-79 (1993);
	AL	Bell, G. and Imboden, J., "CD2 and the Regulation of T Cell Anergy," <i>The Journal of Immunology</i> , 2805-2807 (1995);
	АМ	Beverly, B., et al., "Reversal of in Vitro T Cell Clonal Anergy by IL-2 Stimulation," International Immunology, vol. 4, no. 6, 661-671 (1992);
	AN	Bierer, B., et al., "Interaction of CD2 with its Ligand, LFA-3, in Human T Cell Proliferation," The Journal of Immunology, vol. 140, no. 10, 3358-3363 (1988);
	AO	Bierer, B., et al., "Synergistic T Cell Activation Via the Physiological Ligands for CD2 and the T Cell Receptor," <i>J. Exp. Med.</i> , vol. 168, 1145-1156 (1988);
	AP	Boussiotis, V., et al., "B7 but not Intercellular Adhesion Molecule-1 Costimulation Prevents the Induction of Human Alloantigen-specific Tolerance," <i>J. Exp. Med.</i> , vol. 178, 1753-1763 (1993);
	AQ	Boussiotis, V., et al., "CD2 is Involved in Maintenance and Reversal of Human Alloantigen- specific Clonal Anergy," <i>J. Exp. Med.</i> , vol. 180, 1665-1673 (1994);
-	AR	Boussiotis, V., et al., "Human Alloantigen Specific Clonal Anergy to Lymphoblastoid Cells is Reversed Following Culture with IL-2 or IL-4," <i>Blood</i> , vol. 82, 304A (1993);
to Trigger T Cell Activation Via CD2-D66 Plus CD2-9.6/T11, Epitopes," The Journ		Brottier, P., et al., "T Cell Activation Via CD2 [T, gp50] Molecules: Accessory Cells are Required to Trigger T Cell Activation Via CD2-D66 Plus CD2-9.6/T11, Epitopes," <i>The Journal of Immunology</i> , vol. 135, no. 3, 1624-1631 (1985);
Examiner		PHURSIMBE Date Considered — 4/11/05
*EXAM	INER	Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

		09/995519
,		
	FILING DATE	GROUP
	November 28, 2001	1644

Ca .	OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)				
165 BA	Dustin, M., et al., "Anchoring Mechanisms for LFA-3 Cell Adhesion Glycoprotein at Membrane Surface," Nature, vol. 329, 846-848 (1987);				
BB	Freedman, A., et al., "B7, a B Cell-Restricted Antigen that Identifies Preactivated B Cells," Division of Tumor Immunology, Dana-Farber Cancer Institute and the Department of Medicine, 3260-3267 (1987);				
BC	Freeman, G., et al., "B7, a new Member of the Ig Superfamily with Unique Expression on Activated and Neoplastic B Cells," <i>The Journal of Immunology</i> , vol. 143, no. 8, 2714-2722 (1989);				
BD	Freeman, G., et al., "Cloning of B7-2: A CTLA-4 Counter-Receptor that Costimulates Human T Cell Proliferation," Science, vol. 262, 909-911 (1993);				
8E	Freeman, G., et al., "Murine B7-2, an Alternative CTLA4 Counter-receptor that Costimulates T Cell Proliferation and Interleukin 2 Production," <i>The Journal of Experimental Medicine</i> , vol. 178, 2185-2192 (1993);				
BF	Freeman, G., et al., "Structure, Expression, and T Cell Costimulatory Activity of the Murine Homologue of the Human B Lymphocyte Activation Antigen B7," <i>J. Exp. Med.</i> , vol. 174, 625-631 (1991);				
BG	Freeman, G., et al., "Uncovering of Functional Alternative CTLA-4 Counter-Receptor in B7- Deficient Mice," <i>Science</i> , vol. 262, 907-909 (1993);				
ВН	Gimmi, C., et al., "B-cell Surface Antigen B7 Provides a Costimulatory Signal that Induces T Cells to Proliferate and Secrete Interleukin 2," <i>Proc. Natl. Acad. Sci. USA</i> , vol. 88, 6575-6579 (1991);				
BI	Gimmi, C., et al., "Human T-cell Clonal Anergy is Induced by Antigen Presentation in the Absence of B7 Costimulation," <i>Proc. Natl. Acad. Sci. USA</i> , vol. 90, 6586-6590 (1993);				
BJ	Harding, F., et al., "CD28-mediated Signaling Co-stimulates Murine T Cells and Prevents Induction of Anergy in T-cell Clones," <i>Nature</i> , vol. 356, 607-609 (1992);				
ВК	Hathcock, K., et al., "Identification of an Alternative CTLA-4 Ligand Costimulatory for T Cell Activation," Science, vol. 262, 905-907 (1993);				
BI.	Koyasu, S., et al., "Role of Interaction of CD2 Molecules with Lymphocyte Function-associated Antigen 3 in T-cell Recognition of Nominal Antigen," <i>Proc. Natl. Acad. Sci. USA</i> , vol. 87, 2603-2607 (1990);				
BM	Lenschow, D., et al., "Long-Term Survival of Xenogeneic Pancreatic Islet Grafts Induced by CTLA4Ig," Science, vol. 257, 789-791 (1992);				
BN	Lin, H., et al., "Long-Term Acceptance of Major Histocompatibility Complex Mismatched Cardiac Allografts Induced by CTLA4Ig Plus Donor-specific Transfusion," <i>J. Exp. Med.</i> , vol.178, 1801-1806 (1993);				
во	Linsley, P., et al., "Binding of the B Cell Activation Antigen B7 to CD28 Costimulates T Cell Proliferation and Interleukin 2 mRNA Accumulation," <i>J. Exp. Med.</i> , vol. 173, 721-730 (1991);				
BP	Linsley, P., et al., "Immunosuppression in Vivo by a Soluble Form of the CTLA-4 T Cell Activation Molecule," <i>Science</i> , vol. 257, 792-795 (1992);				
BQ	Meuer, S., et al., "An Alternative Pathway of T-Cell Activation: A Functional Role for the 50 kd T11 Sheep Erythrocyte Receptor Protein," Cell, vol. 36, 897-906 (1984);				
BR	Moingeon, P., et al., "CD2-mediated Adhesion Facilitates T Lymphocyte Antigen Recognition Function," <i>Nature</i> , vol. 339, 312-314 (1989);				
Examiner	PHUR AMB Q Date Considered 4/11/05				
*EXAMINER	Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				

1'			09/995519	
LIST O	T OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)	Boussiotis, V.A., et al.		
	(OSC SOVERUI SHOOLS II HECCESSELY)	FILING DATE	GROUP	
	·	November 28, 2001	1644	

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

		OTTIET TO (more and reader), The Control of the Con	
Γ . <sub>Λ</sub> Ι	CA	Pepinsky, R., et al., "The Increased Potency of Cross-linked Lymphocyte Function-associated	
$[ \land ]$		Antigen-3 (LFA-3) Multimers is a Direct Consequence of Changes in Valency," The Journal of	
$II \setminus I \subseteq I$		Biological Chemistry, vol. 266, no. 27, 18244-18249 (1991);	
	СВ	Seed, B., "An LFA-3 cDNA Encodes a Phospholipid-linked Membrane Protein Homologous to it	its
<u> </u>		Receptor CD2," Nature, vol. 329, 840-842 (1987);	
	œ	Selvaraj, P., et al., "The T Lymphocyte Glycoprotein CD2 Binds the Cell Surface Ligand LFA-3,	
		Nature, vol. 326, 400-403 (1987);	
	CD	Tan, P., et al., "Induction of Alloantigen-specific Hyporesponsiveness in Human T Lymphocytes	 S
1 / !		by Blocking Interaction of CD28 with its Natural Ligand B7/BB1," J. Exp. Med., vol. 177, 165-17	
		(1993);	_
	CE	Van Gool, S., et al., "The Combination of Anti-B7 Monoclonal Antibody and Cyclosporin A	
<b>!                                    </b>		Induces Alloantigen-specific Anergy During a Primary Mixed Lymphocyte Reaction, "J. Exp.	
		Med., vol. 179, 715-720 (1994);	
<b> -</b>	CF	Wallner, B., et al., "Primary Structure of Lymphocyte Function-Associated Antigen 3 (LFA-3) Th	ne.
		Ligand of the T Lymphocyte CD2 Glycoprotein," Journal of Experimental Medicine, vol. 166, 92	
[ [		932 (1987);	•
	CO	Yang, S., et al., "A Common Pathway for T Lymphocyte Activation Involving Both the CD3-Ti	
$\mathbb{N}$	1	Complex and CD2 Sheep Erythrocyte Receptor Determinants," The Journal of Immunology, vo	si.
<i>門</i>   丿		137, no. 4, 1097-1100 (1986).	1.
<del>/ ~  </del>	СН	101,110.4, 1007 1100 (1000).	
	CI		
ļI	CJ		
	~		
<b> </b>	СК		
	α	•	•
	СМ		
	CN		
	CD	·	
	СР		—
<b> </b>	ca		
	CR		
	cs		
Examine	<u></u>	Date Considered	
		Plane (Amos Date Considered 4/11/05	
'EXAMI	NER	Initial If reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citati	ion
1		if not in conformance and not considered. Include copy of this form with next communication to applicant.	